



Ammonium chloride solution	+	+	+	+	+	+	+	●	Diisopropylketone	-	-	+	+	-	-	-	-
Ammonium fluoride solution	+	+	+	+	+	+	+	●	Dimethylamine	-	-	●	●	-	-	●	-
Ammonium hydroxide solution	●	●	+	+	●	+	+	●	Dimethylaniline	-	-	-	●	(-)	-	(-)	-
Ammonium nitrate solution	(+)	+	+	+	+	+	+	●	Dimethylether	●	(-)	+	+	(-)	(-)	(-)	(-)
Ammonium nitrate solution	+	+	+	+	+	+	+	●	Dimethylforma-mide	-	-	+	+	-	-	-	-
Ammonium per-sulphate solution	-	-	+	+	-	+	+	●	Dimethylphtha-late	-	-	+	+	-	-	-	+
Ammonium phosphate solution	+	+	+	+	+	+	+	●	Diocetylphthalate (DOP)	-	-	+	+	-	-	-	+
Ammonium sulphate solution	+	+	+	+	+	+	+	●	Diocetylsebacate(Sebacic acid,diocetyl ester)	-	-	+	+	-	-	-	+
Ammonium sulphide solution	+	+	+	+	+	+	+	●	Dioxane	-	-	●	●	-	-	-	-
Amyl acetate	●	-	+	+	-	-	-	-	Dipentene	-	-	-	-	●	-	-	+
n-Amyl alcohol	+	+	+	+	●	+	+	+	Diphenylether	-	-	-	-	-	-	-	+
Aniline	●	●	+	+	-	-	-	+	Diphyl	-	-	-	-	-	-	-	+
Anisole	-	-	-	-	-	-	-	+	Dipropylketone	-	-	●	●	-	-	-	-
Antifreeze ( glycol based	+	+	+	+	+	+	+	+	Dodecylalcohol	+	+	+	+	+	+	+	+
Antimony chloride solution	+	+	+	+	+	+	+	+									
Aqua Regia solution	-	-	-	-	-	-	-	●	Elaol FR, 80DC	-	-	●	+	-	-	-	+
Arsenic acid solution	+	+	+	+	+	+	+	+	Epichlorohydrin	-	-	●	●	-	-	-	-
ASTM-Fuel A	-	-	-	-	+	●	●	+	Ethane	-	-	-	-	+	●	●	+
ASTM-Fuel B	-	-	-	-	●	-	-	+	Ethanol	+	+	+	+	●	+	+	+
ASTM-Fuel C	-	-	-	-	●	-	-	+	Ethanolamine	●	+	+	+	●	●	-	-
ASTM-Fuel D	-	-	-	-	-	-	-	+	Ether	-	-	-	-	-	-	-	-
ASTM-Oil No. 1, 100°C	-	-	-	-	+	+	+	+	Ethereal oils	-	-	-	-	-	-	-	●
ASTM-OIL No.1, 70°C	-	-	-	-	+	+	+	+	Ethyl acetate	-	+	+	-	-	-	-	-
ASTM-Oil No. 2, 100°C	-	-	-	-	+	-	-	+	Ethyl acrylate	-	+	+	-	-	-	-	-
ASTM-Oil No. 2, 70°C	-	-	-	-	+	●	●	+	Ethyl alcohol	+	+	+	+	●	+	+	+
ASTM-Oil No. 3, 100°C	-	-	-	-	+	-	-	+	Ethyl benzol	-	-	-	-	-	-	-	+
ASTM-Oil No. 3, 70°C	-	-	-	-	+	-	-	+	Ethyl chloride	●	●	+	+	+	●	-	+
Avgas	-	-	-	-	+	●	●	+	Ethyl ether	-	-	-	-	-	-	-	-
Avgas ( JP)	-	-	-	-	+	-	-	+	Ethyl formate	-	-	●	●	-	●	●	+
Avgas A ( ISO-Fluid A )	-	-	-	-	+	●	●	+	Ethyl hexanol	+	+	+	+	+	+	+	+
Avgas B ( ISO-Fluid B )	-	-	-	-	●	-	-	+	Ethyl mercaptan	-	-	-	-	-	-	-	+
Avgas C ( ISO-Fluid C)	-	-	-	-	●	-	-	+	Ethyl silicate	●	●	+	+	+	+	●	+

Avgas D ( ISO-Fluid D )	-	-	-	-	-	-	-	+	Ethylene	(-)	(-)	(-)	(-)	+	(-)	(-)	+
									Ethylene chloride	-	-	-	-	-	-	-	+
Barium Chloride Solution	+	+	+	+	+	+	+	+	Ethylene chlorohydrin	●	●	●	●	-	●	●	+
Barium Hydroxide Solution	+	+	+	+	+	+	+	+	Ethylene diamine	+	●	+	+	+	+	●	-
Battery Acid	-	-	+	+	-	-	+	+	Ethylene dibromide	-	-	-	-	-	-	-	+
Beer	+	+	+	+	+	+	+	+	Ethylene dichloride	-	-	-	-	-	-	-	+
Benzaldehyde	-	-	+	+	-	-	-	-	Ethylene glycol	+	+	+	+	+	+	+	+
Benzene	-	-	-	-	-	-	-	+	Ethylene oxide	-	-	●	●	-	-	-	-
Benzoic acid solution	+	+	+	+	+	+	+	+	Ethylene trichloride	-	-	-	-	-	-	-	+
Benzyl alcohol	(+)	(+)	+	+	-	●	●	+									
Benzyl benzoate	-	-	●	●	-	-	-	+	Ferric chloride solution	+	+	+	+	+	+	+	+
Benzyl chloride	-	-	-	-	-	-	-	+	Ferric nitrate solution	+	+	+	+	+	+	+	+
Bisulphite liquor	●	●	+	+	●	+	+	+	Ferric sulphate solution	+	+	+	+	+	+	+	+
Bleach solution concentrated	-	-	+	+	-	-	+	+	Fish liver oil	-	-	-	-	+	+	+	+
Borax solution	+	+	+	+	+	+	+	+	Fluid 101, 100°	-	-	-	-	●	-	-	+
Boric acid solution	+	+	+	+	+	+	+	+	Fluisil S 25, 80°	-	●	●	●	+	+	+	+
Brake fluid 100 °C ( Glycol Based )	-	+	+	+	-	-	-	-	Fluorine, dry	-	-	●	●	-	(-)	(-)	+
Brake fluid 150 °C ( Glycol Based )	-	-	●	+	-	-	-	-	Fluorobenzene	-	-	-	-	-	-	-	+
Brake fluid 50 °C ( Glycol Based )	+	+	+	+	-	●	●	-	Fluosilicic acid	-	-	-	+	-	-	-	+
Brine	+	+	+	+	+	+	+	+	Formalin,30 %	+	+	+	+	+	+	+	●
Bromic acid solution	●	-	+	+	-	●	+	+	Formamide	+	(+)	+	+	-	●	+	●
Bromine gas ( vapour )	-	-	-	-	-	-	-	+	Formic acid	●	●	+	+	-	+	+	-
Bromine liquid	-	-	-	-	-	-	-	+	Freon 11	-	-	-	-	+	●	+	+
Bromine Pentafluoride	-	-	-	-	-	-	-	-	Freon 112	-	-	-	-	●	●	●	+
Bromine Trifluoride	-	-	-	-	-	-	-	-	Freon 113	-	●	-	-	+	+	+	●
Bromine water saturated	-	-	-	●	-	-	-	+	Freon 114	+	+	+	+	+	+	+	●
Butadiene	-	-	-	-	●	-	-	+	Freon 114 B 2	-	-	-	-	●	+	+	●
Butane	-	-	-	-	+	+	●	+	Freon 115	+	+	+	+	+	+	+	+
Butanol	+	+	+	+	●	+	+	+	Freon 12	●	+	●	●	+	+	+	●
Tert-Butanol	●	●	●	●	●	●	●	+	Freon 13	+	+	+	+	+	+	+	+
Butter (11.6% water content ), 70 ° C	-	-	-	-	+	-	-	+	Freon 13 B 1	+	+	+	+	+	+	+	+
Butyl Acetate	-	-	+	+	-	-	-	-	Freon 14	+	+	+	+	+	+	+	+
Butyl Alcohol	+	+	+	+	●	+	+	+	Freon 142b	+	+	+	+	+	+	+	-
Butyl Amine	-	-	-	-	-	-	-	-	Freon 152a	+	+	+	+	+	+	-	-
Butylene	-	-	-	-	+	-	-	+	Freon 21	-	-	-	-	-	●	-	-

Butyraldehyde	-	-	+	+	-	-	-	-	Freon 218	+	+	+	(+)	+	+	+	+
									Freon 22	●	+	+	+	-	+	+	-
Calcium acetate solution	+	(+)	+	+	+	+	(+)	-	Freon 31	-	●	+	+	-	+	●	-
Calcium bisulphite solution	●	●	+	+	●	+	+	+	Freon 32	+	+	+	+	+	+	+	-
Calcium chloride solution	+	+	+	+	+	+	+	+	Freon C 316	+	+	+	(+)	+	+	+	(+)
Calcium hydroxide solution	+	+	+	+	+	+	+	+	Freon C 318	+	+	+	+	+	+	+	+
Calcium hypochlorite solution	-	-	+	+	-	-	+	+	Fruit juice	+	+	+	+	+	+	+	+
Calcium nitrate solution	+	+	+	+	+	+	+	+	Furan (Furfurane)	-	-	-	-	-	-	-	(-)
Calcium phosphate solution	+	+	+	+	+	+	+	+	Furfural (a-Furaldehyde)	-	-	+	+	-	-	-	-
Calcium sulphide solution	+	+	+	+	+	+	+	+	Furfuryl alcohol	-	-	+	+	-	-	-	(-)
Camphor oil	-	-	-	-	+	-	(-)	+									
Carbolic acid	-	-	●	●	-	-	-	+	Gas,natural	-	-	-	-	+	●	●	+
Carbolineum	-	-	-	-	-	-	-	+	Gasoline	-	-	-	-	●	-	-	+
Carbon dioxide , dry	+	+	+	+	+	+	+	+	Gear oil, EP (Hypoid), 110°	-	-	-	-	-	-	-	+
Carbon dioxide, moist	+	+	+	+	+	+	+	+	Gelatine solution	+	+	+	+	+	+	+	+
Carbon disulphide	-	-	-	-	-	-	-	+	Glucose solution	+	+	+	+	+	+	+	+
Carbon disulphide solution	-	-	-	-	-	-	-	+	Glucose solution (Grape sugar)	+	+	+	+	+	+	+	+
Carbon monoxide, dry	+	+	+	+	+	+	+	+	Glue (Bone glue)	+	+	+	+	+	+	+	+
Carbon tetrachloride	-	-	-	-	-	-	-	+	Glycerine	+	+	+	+	+	+	+	+
Carbonic acid	+	+	+	+	+	+	+	+	Glycol	+	+	+	+	+	+	+	+
Castor oil	+	+	+	+	+	+	+	+	Glycolic acid solution	+	+	+	+	+	+	+	+
Chlophen A 60	-	-	-	-	-	-	-	+	Grease and oil, animal	-	-	-	-	+	●	●	+
Chlorhydric acid gas	-	-	+	+	-	●	+	+	Grease and oil, mineral	-	-	-	-	+	●	●	+
Chloric acid solution, 20%	-	-	+	+	-	●	+	+	Grease and oil, vegetable	-	-	-	-	+	●	●	+
Chloride of lime	-	-	+	+	-	-	+	+									
Chlorine dioxide	-	-	-	-	-	-	-	+	Heating oil (Coal oil based)	-	-	-	-	+	-	-	+
Chlorine gas, dry	-	-	●	●	-	-	-	+	Heating oil (Petroleum oil based)	-	-	-	-	+	●	-	+
Chlorine gas, wet	-	-	●	●	-	-	-	+	Helium	+	+	+	+	+	+	+	+
Chlorine water, saturated	-	-	●	●	-	-	-	+	Henkel-P3- solution	●	+	+	+	+	+	+	+
Chloro trifluoride	-	-	-	-	-	-	-	-	n-Heptane	-	-	-	-	+	●	-	+
Chloroacetic acid	-	-	●	●	-	-	-	-	Heptanone	-	-	●	●	-	-	-	-
Chloroacetone	-	-	+	+	-	-	-	-	Hexachlorobuta.diene	-	-	(-)	(-)	-	-	(-)	+
Chlorobenzene	-	-	-	-	-	-	-	+	Hexachlorocyclo.hexane	-	-	(-)	(-)	(-)	(-)	(-)	+
Chlorobromo methane	-	-	●	●	-	-	-	-	n-Hexaldehyde	-	-	●	+	-	+	-	-
Chlorobutadiene	-	-	-	-	-	-	-	+	n-Hexane	-	-	-	-	+	●	-	+

Chloroform	-	-	-	-	-	-	-	+	Hexanetriol	(+)	(+)	+	+	+	+	+	+	+
1-Chloro naphthalene	-	-	-	-	-	-	-	+	n-Hexene-1	-	-	-	-	●	●	●	+	+
Chloroprene	-	-	-	-	-	-	-	+	Hexyl alcohol	+	+	●	●	+	●	●	+	+
Chlorosulphonic acid	-	-	-	-	-	-	-	-	Hydraulic fluid, HFA,50°C	-	-	-	-	+	●	-	+	+
Chlorotoluene	-	-	-	-	-	-	-	+	Hydraulic fluid, HFB,50°C	-	-	-	-	+	●	-	+	+
Chromic acid solution	-	-	●	●	-	-	●	+	Hydraulic fluid, HFC,60°C	+	+	+	+	+	+	+	+	-
Cinnamaldehyde	●	-	+	+	-	-	-	+	Hydraulic fluid, HFD-R, 100°C	-	-	●	+	-	-	-	-	+
Citric acid solution	+	+	+	+	+	+	+	+	Hydraulic fluid, HFD-S, 100°C	-	-	-	-	-	-	-	-	+
City gas, benzene free	-	-	-	-	+	●	●	+	Hydraulic oil (Mineral oil based) 100°C	-	-	-	-	+	●	-	+	+
Cobalt chloride solution	+	+	+	+	+	+	+	+	Hydrazine	(-)	●	+	+	●	●	●	(-)	(-)
Cocoa butter	-	-	-	-	-	-	-	+	Hydrochloric acid solution, 10%	●	●	+	+	●	+	+	+	+
Cocoa fat	-	-	-	-	+	●	●	+	Hydrochloric acid, fuming	-	-	+	+	-	-	-	-	●
Coconut oil	-	-	-	-	+	-	-	+	Hydrofluoric acid, 65%	-	-	+	+	-	●	+	+	+
Cod liver oil	(-)	(-)	(-)	(-)	+	(+)	(+)	+	Hydrofluoric acid, anhydrous	-	-	●	●	-	-	+	-	-
Cooking salt solution	+	+	+	+	+	+	+	+	Hydrogen	+	+	+	+	+	+	+	+	+
Copper acetate solution	●	-	+	+	●	●	●	-	Hydrogen chloride gas	-	-	+	+	-	●	+	+	+
Copper chloride solution	+	+	+	+	+	+	+	+	Hydrogen peroxide, 3%	●	●	+	+	●	+	+	+	+
Copper cyanide solution	+	+	+	+	+	+	-	+	Hydrogen peroxide, 90%	-	-	-	-	-	-	-	-	+
Copper nitrate solution	+	+	+	+	+	+	+	+	Hydrogen sulphide	-	-	+	+	-	+	-	-	-
Copper sulphate solution	+	+	+	+	+	+	+	+	Hydroxylamine sulphate solution	+	+	+	+	+	●	+	+	+
Copper vitriol solution	+	+	+	+	+	+	+	+										
Corn oil	-	-	-	-	+	●	●	+	Iodinepenta-fluoride	-	-	-	-	-	-	-	-	-
Cottonseed oil	-	-	-	-	+	●	●	+	Iso-octane	-	-	-	-	+	●	●	+	+
Creosote ( wood based )	-	-	-	-	+	-	-	+	Isobutyl alcohol	●	●	+	+	●	+	+	+	+
Cresol solution	-	-	-	-	-	-	-	+	Isopropanol	+	●	+	+	●	●	+	+	+
Crude Oil	-	-	-	-	+	●	-	+	Isopropylacetate	-	-	+	+	-	-	-	-	-
Cumol	-	-	-	-	-	-	-	+	Isopropylalcohol	+	●	+	+	●	●	+	+	+
Cyclohexane	-	-	-	-	+	-	-	+	Isopropylchloride	-	-	-	-	-	-	-	-	+
Cyclohexanol	-	-	-	-	+	●	●	+	Isopropylether	-	-	-	-	●	-	-	-	-
Cyclohexanone	-	-	●	●	-	-	-	-										
p-Cymene	-	-	-	-	-	-	-	+	Kerosene	-	-	-	-	+	-	-	-	+

Medium	Elastomer Type								Medium	Elastomer Type							
	NR/IR	SBR/BR	IIR	EPDM	NBR	CR	CSM	FPM		NR/IR	SBR/BR	IIR	EPDM	NBR	CR	CSM	FPM
Lactam	-	-	+	+	-	●	●	-	Skydrol 7000	-	-	+	+	-	-	-	●
Lactic acid solution	+	+	+	+	+	+	+	+	Soap solution	●	●	+	+	+	●	+	+
Lard	-	-	-	-	+	●	●	+	Soda solution	+	+	+	+	+	+	+	+
Laughing gas	+	+	+	+	+	+	+	+	Sodium acetate solution	+	-	+	+	●	●	●	-
Lauryl alcohol	+	+	+	+	+	+	+	+	Sodium benzoate solution	+	+	+	+	+	+	+	+
Lavender oil	-	-	-	-	●	-	-	+	Sodium bicarbonate solution	+	+	+	+	+	+	+	+
Lead acetate	+	-	+	+	●	●	-	-	sodium bisulphite solution	●	●	+	+	+	+	+	+
Lead nitrate solution	+	+	+	+	+	+	+	(+)	Sodium borate solution	+	+	+	+	+	+	+	+
Linseed oil	-	-	-	-	+	-	-	+	Sodium carbonate solution	+	+	+	+	+	+	+	+
Liquor	+	+	+	+	+	+	+	+	Sodium chlorate solution	-	●	+	+	●	+	+	+
Lithium bromide solution	+	+	+	+	+	+	+	+	Sodium chloride solution	+	+	+	+	+	+	+	+
Lithium chloride solution	+	+	+	+	+	+	+	+	Sodium cyanide solution	+	+	+	+	+	+	+	+
Lubricating oil (mineral based)	-	-	-	-	+	●	●	+	Sodium dichromate solution	+	+	+	+	+	+	+	+
									Sodium hydroxide solution	●	●	+	+	●	●	+	-
Machine oil mineral	-	-	-	-	+	●	-	+	Sodium hypochlorite solution	-	-	●	●	-	●	●	+
Magnesium chloride solution	+	+	+	+	+	+	+	+	Sodium lye solution	●	●	+	+	●	●	+	-
Magnesium hydroxide solution	+	+	+	+	+	+	+	+	Sodium nitrate solution	+	+	+	+	+	+	+	+
Magnesium sulphate solution	+	+	+	+	+	+	+	+	Sodium perborate solution	●	●	+	+	●	●	●	+
Maleic acid solution	+	+	+	+	+	+	+	+	Sodium phosphate solution	+	+	+	+	+	+	+	+
Margarine	-	-	-	-	+	●	-	+	Sodium silicate solution	+	+	+	+	+	+	+	+
Mercuric chloride solution	+	+	+	+	+	+	+	+	Sodium stearate solution	●	●	+	+	+	●	+	+
Mercury	+	+	+	+	+	+	+	+	Sodium sulphate solution	+	+	+	+	+	+	+	+
Methacrylic acid methyl ester	-	-	-	-	-	-	-	-	Sodium sulphide solution	●	●	+	+	+	+	+	+
Methane	-	-	-	-	+	●	●	+	Sodium thiosulphate solution	+	+	+	+	+	+	+	+
Methanol	+	+	+	+	●	●	+	-	Soya oil	-	-	-	-	+	●	●	+
Methyl acetate	-	-	●	●	-	●	-	-	Spindle oil (mineral oil based)	-	-	-	-	+	●	-	+
Methyl acrylate	-	-	●	●	-	●	-	-	Spirits	+	+	+	+	●	+	+	+



Neatsfoot oil	-	-	-	-	+	-	-	+	Town gas, benzene tree	-	-	-	-	+	●	●	+
Neon	+	+	+	+	+	+	+	+	Transformer oil (Petroleum oil based)	-	-	-	-	+	●	-	+
Nickel acetate solution	+	-	+	+	●	●	-	-	Triacetin (Glycerine triacetate)	●	●	+	+	●	●	●	-
Nickel chloride solution	+	+	+	+	+	+	+	+	Tributylphosphate	●	-	+	+	-	-	-	-
Nickel sulphate solution	+	+	+	+	+	+	+	+	Trichloroacetic acid	●	-	●	●	-	-	-	-
Nitric acid, solution, 10%	-	-	+	+	-	-	+	+	Trichloroethane	-	-	-	-	-	-	-	-
Nitric acid, concentrated,65%	-	-	-	-	-	-	-	+	Trichloroethylene	-	-	-	-	-	-	-	+
Nitric acid fuming	-	-	-	-	-	-	-	●	Tricresylphosphate	-	-	+	+	-	-	-	+
Nitrobenzene	-	-	●	●	-	-	-	+	Triethanolamine	●	●	●	●	-	●	●	-
Nitroethane	●	●	●	●	-	●	●	-	Triethylamine	-	-	-	-	●	-	-	●
Nitrogen	+	+	+	+	+	+	+	+	Triisopropyl benzene	-	-	-	-	+	-	(-)	+
Nitrogen tetroxide	-	-	-	-	-	-	-	-	Trioctyl phosphate	-	-	+	+	-	-	-	●
Nitromethane	●	-	●	●	-	-	-	-	Tritan(Triphenyl methane)	-	-	-	-	-	-	-	+
Nitropropane	-	-	●	●	-	-	-	-	Trisodiumphosphate	+	+	+	+	+	+	+	+
Nitrous gases (Mixture- NO <sup>2</sup> ,NO,N O,etc)	-	-	●	●	-	-	-	-	Turbineoil (Petroleumoil based)	-	-	-	-	+	●	-	+
Nitrous oxide	+	+	+	+	+	+	+	+	Turpentineoil	-	-	-	-	●	-	-	+
n-Octane	-	-	-	-	●	-	-	+	Urea solution	+	+	+	+	+	+	+	+
Octyl alcohol	●	●	+	+	●	●	●	+									
Octyl cresol	-	-	-	-	●	-	-	●	Vaseline	-	-	-	-	+	●	●	+
Oleic acid	-	-	-	-	●	-	-	+	Vegetable oil	-	-	-	-	+	●	●	+
Olive oil	-	-	-	-	+	●	●	+	Vinegar,wine	+	●	+	+	●	●	●	-
Oxalic acid solution	●	●	+	+	●	●	●	+									
Ozone-air mixture	-	-	●	+	-	●	+	+	Water glass	+	+	+	+	+	+	+	+
Palmitic acid	●	●	●	●	+	●	●	+	Water, cold	+	+	+	+	+	+	+	+
Paraffin oil	-	-	-	-	+	+	+	+	Water, hot, 100°C	-	●	+	+	●	-	-	●
Paraffin wax, molten	-	-	-	-	+	+	●	+	Whisky	+	+	+	+	+	+	+	+
Peanut oil	-	-	-	-	+	●	●	+	Wine	+	+	+	+	+	+	+	+
Pentachloro diphenyl	-	-	-	-	-	-	-	+	Wood oil	-	-	-	-	+	●	-	+
Pentane	-	-	-	-	+	●	●	+									
Perchloric acid	-	-	●	●	-	●	●	+	Xenon	+	+	+	+	+	+	+	+
Perchloroethylene	-	-	-	-	-	-	-	+	Xylene	-	-	-	-	-	-	-	+
Petrol + 20% Ethanol	-	-	-	-	●	-	-	+									
Petrol + 20% Methanol	-	-	-	-	-	-	-	●	Yeast solution	+	+	+	+	+	+	+	+



Petrol, neat	-	-	-	-	+	●	●	+	Zinc acetate solution	+	-	+	+	●	●	-	-
Petrol, regular	-	-	-	-	●	-	-	+	Zinc chloride solution	+	+	+	+	+	+	+	+
Petrol, super	-	-	-	-	●	-	-	+	Zinc sulphate solution	+	+	+	+	+	+	+	+
Petroleum	-	-	-	-	+	●	●	+									
Petroleum (Crude oil)	-	-	-	-	+	●	●	+									
Petroleum ether	-	-	-	-	+	●	●	+									
Phenol	-	-	●	●	-	-	-	+									
Phenylethyl ether	-	-	-	●	-	-	-	-									
Phenylhydrazine	●	●	-	-	-	-	-	+									
Phosgene, gaseous	-	(-)	+	+	+	+	(+)	+									
Phosgene, liquid	-	(-)	●	●	●	+	+	+									
Phosphoric acid, 20% solution	●	●	+	+	●	●	+	+									
Phosphoric acid, concentrated	-	-	●	●	-	-	-	+									
Phosphorous oxychloride	●	●	+	+	-	●	+	+									
Phosphorous trichloride	-	-	+	+	-	-	-	+									
Photographic developer	+	+	+	+	+	+	+	+									
Photographic fixation agent	+	+	+	+	+	+	+	+									
Picric acid solution	●	●	+	+	●	+	+	+									
Pine needle oil	-	-	-	-	●	-	-	+									
Piperadin	-	-	-	-	-	-	-	-									
Polyran M 25 N,80°C	●	+	+	+	●	●	+	+									
Polyran M 400, 80°C	+	+	+	+	+	+	+	+									
Potash lye solution	●	●	+	+	●	●	+	-									
Potash, solution	●	●	+	+	●	●	+	-									
Potassium acetate solution	+	-	+	+	●	●	-	-									
Potassium bi -sulphate solution	+	+	+	+	+	+	+	+									
Potassium borate solution	+	+	+	+	+	+	+	+									
Potassium bromate solution	+	+	+	+	+	+	+	+									
Potassium bromide solution	+	+	+	+	+	+	+	+									
Potassium carbonate solution	+	+	+	+	+	+	+	+									
Potassium Ichlorate solution	●	●	+	+	-	+	+	+									
Potassium chloride solution	+	+	+	+	+	+	+	+									
Potassium chromate solution	●	●	+	+	●	+	+	+									
Potassium cyanide solution	+	+	+	+	+	+	+	+									
Potassium dichromate solution	●	●	+	+	●	+	+	+									

Potassium hydroxide solution	●	●	+	+	●	●	+	-
Potassium iodide solution	+	+	+	+	+	+	+	+
Potassium nitrate solution	+	+	+	+	+	+	+	+
Potassium Per-chlorate solution	-	-	+	+	-	+	+	+
Potassium Permanganate solution	-	-	+	+	-	+	+	+
Potassium Persulphate solution	-	-	+	+	-	+	+	+
Potassium sulphate solution	●	●	+	+	+	+	+	+
Potassium hydroxide solution	●	●	+	+	●	●	+	-
Propane, gaseous	-	-	-	-	+	●	●	+
Propanol	+	+	+	+	+	+	+	+
Propyl acetate	-	-	●	●	-	-	-	-
Propyl alcohol	+	+	+	+	+	+	+	+
Propyl nitrate	-	-	●	●	-	-	-	-
Propyl amine	-	-	-	-	-	-	-	-
Propylene	-	-	-	-	-	-	-	+
Propylene glycol	+	+	+	+	+	+	+	+
Propylene oxide	-	-	●	●	-	-	-	-
Prussic acid	+	●	+	+	●	●	+	+
Pydraul C (312,540)	-	-	-	-	-	-	-	+
Pydraul E (29, 30, 50, 65,90,115)	-	-	+	+	-	-	-	+
Pyridine	-	-	●	●	-	-	-	-
Pyrrole	●	●	-	-	-	-	-	-
Rapeseed oil	-	-	●	●	+	●	●	+
Salt water	+	+	+	+	+	+	+	(+)
Sea water	+	+	+	+	+	+	+	+
Silicone grease	+	+	+	+	+	+	+	+
Silicone oil	+	+	+	+	+	+	+	+
Silver nitrate solution	+	+	+	+	●	+	+	+
Skydrol 500	-	-	●	+	-	-	-	-